This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):





- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- (•) BLACK OR VERY BLACK AND WHITE DARK PHOTOS
 - GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number: WO 97/36254
G06F 17/60	Al	(43) International Publication Date: 2 October 1997 (02.10.97
(21) International Application Number: PCT/US (22) International Filing Date: 27 March 1997 (European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB
(30) Priority Data: 08/623,584 28 March 1996 (28.03.96) (71) Applicant: ELECTRONIC DATA SYSTEMS COTION [US/US]; 5400 Legacy Drive, M/S H3-3A-CTX 75024 (US). (72) Inventor: FUNK, Wade, L.; 2302 Tamarisk, Plano, T (US). (74) Agent: GRIEBENOW, L., Joy: Electronic Data Corporation, 5400 Legacy Drive, M/S H3-3A-05, P 75024 (US).	ORPOR 05, Plan FX 750 System	o. 13

(54) Title: AUTOMATED SYSTEM AND METHOD FOR CHECKLESS CHECK TRANSACTION



(57) Abstract

The automated improved check processing system and method includes a data entry device (200, 202) for receiving checking account information (304, 306, 308) and a check amount (302) of a check (210, 300) provided in a transaction. The transaction may take place at a bank teller window or a point-of-sale. The checking account information and check amount are electronically transmitted to the institution or servicer (208) drawn on for electronic presentment and posting to the proper checking account. Additionally, an image capturer (204) may be used at the time of the transaction to obtain a dightized image of the face of the check. The captured image may then be forwarded electronically to a database, which is readily accessible for research purposes.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	81	Slovenia
AM	. Armenia	71	Finland	LT	Lithuenia	SK	Slovakia
AT	Austria	FR	France	ш	Luxembourg	SN	Senegal
AU	Augeralia	GA	Gabos	LV	Latvia	67	Swaziland
AZ	Azerbaijar	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnie and Herzegovina	CE	Georgia	MD	Republic of Moldova	TG	Togo
88	Barbados	GH	Chana	MG	Madagascar	ŦJ	Tajik istan
32	Belgium	GN	Guines	MK	The former Yugoslav	TM	Turkmenistan
BJ	Burkins Paso	GR	Greece		Republic of Macedonia	TR	Torkey
BG	Bulgaria	HU	Hugary	ML	Mali	TT	Trinidad and Tobago
NJ.	Benin	18	Ireland	MN	Mangalis	UA	Ukraine
ar	Brazil	IL	ksrael	MR	Mauritania	UG	Uganda
BY	Belares	LS	Iceland	· MW	Malawi	US	United States of America
CA	Canada	17	Kely	MX	Mexico	UZ	Uzbekiman
CF	Central African Republic	JP	Japan	NE	Niger	NA.	Vict Nam
CC	Congo	KE	Kenya	NL.	Netherlands	YU	Yugoslevin
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbebwe
CI	Côte d'Ivoire	102	Democratic People's	NZ.	New Zealand		
CM	Carecroon		Republic of Korea	PL	Potend		
CN	Chine	KR	Republic of Kons	PT	Portugal		
CU	Cubs	KZ	Kazaksun	RO	Romania		
cz	Czech Republic	ıc	Saint Lucis	RU	Russian Federation		
DE	Germany	u	Licchenstein	5D	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		

PCT/US97/05005

WO 97/36254

AUTOMATED SYSTEM AND METHOD FOR CHECKLESS CHECK TRANSACTION

TECHNICAL FIELD OF THE INVENTION

This invention is related in general to the field of document handling systems. More particularly, the invention is related to an automated system and method for checkless check transaction.

15

20

25

30

2

BACKGROUND OF THE INVENTION

The typical check processing procedure in use today is long, laborious and tedious, which requires one or more days of processing time and multiple repetitive processing steps. The procedure includes many opportunities for errors to be introduced. The costs associated with check processing, error correction, and returns processing are high.

The typical check processing procedure is shown in FIGURE 1 and begins, for example, at a bank teller window. The teller is given one or more checks for each check having a specific dollar amount or check amount. The teller totals the check amounts and credits the customer's account with the amount, as shown in block 100. At the end of the day, the total of all checks received that day by each teller may be totaled. The teller totals are combined to form a bank total.

The bank first encodes the check amounts on the checks, as shown in block 102. The encoding process is performed manually, with an operator physically handling each check, viewing the amount, and then keying it on the face of the check. The check amount is then encoded in magnetic ink on the face of the check in a predetermined field or location, such as the bottom right of the check in alignment with the MICR line. The encoding speed per operator is slow, typically 1,200 to 1,400 checks per hour. Because this processing step relies heavily on the human operator, who must process a large quantity of documents in a short time, it is prone to errors. The check amount may be misread due to poor penmanship and a number of other reasons or the amounts may be entered incorrectly. encoded checks are then tallied and compared with the total on the deposit ticket. This process is commonly termed "proofing."

10

15

20

25

30

The encoded checks are then shipped to a central processing location for the "capturing" step, as shown in block 104. High speed reader/sorters process the checks by reading and sorting the checks according to information printed on the MICR (magnetic ink character recognition) line located at the bottom of the check. information on the check includes the bank number, account number, check serial number, in addition to the encoded check amount. The checks are read and sorted by bank or some other designation according to the transit and routing information also present in the MICR line. Approximately 1 to 1.5% of checks are rejected because the MICR line information is not readable. The rejected checks are manually handled and corrected. A balance of credits and debits is then computed. The sorted checks and a cash letter listing each check and their amounts are then sent to the institutions owning the accounts that the checks are drawn on in a collection and transit process.

The transit process delivers the checks to the bank having the accounts the checks are drawn on, at which place another capturing process commonly termed "inclearing" is performed, as shown in block 106. Inclearing ensures that the checks are actually drawing on that bank's accounts, the amounts are encoded on the checks, the correct settlement amount is given to the other banks, and that the correct amount is finally settled or posted out of the customer's account, as shown in block 108. The checks may then be returned to the checking account owner, as shown in block 110.

It may be seen from the foregoing that the traditional check processing procedure is a time-consuming and tedious process. Each time the check is handled or encoded, an opportunity for error is introduced. As a result, check processing is a very costly procedure for banks and

4

businesses. Although many transactions today are based on cash, credit cards, and debit cards, transactions involving checks are still prevalent in the United States because many Americans are accustomed to using checks as payment. Therefore, it is desirable to permit customers to continue to use checks as their preferred method of payment, but at the same time eliminate the costly and labor intensive traditional check processing system and procedures.

10

15

20

25

30

5

SUMMARY OF THE INVENTION

Accordingly, there is a need for a system and method for a "checkless" check transaction that eliminates repetitive and error-prone steps and the need to handle and pass on the paper checks themselves. As a result, the total check processing time and cost are reduced. Further, banking institutions and businesses involved in cash management practices are informed in advance of presentment what funds are available as a result of deposited checks. Returns processing also becomes a less costly step.

In accordance with the present invention, a system and method for automated checkless check transaction are provided which eliminates or substantially reduces the disadvantages associated with prior systems and processes.

In one aspect of the invention, an automated checkless check transaction system includes an input device receiving checking account information and a check amount of a check drawing on a checking account provided in a transaction. A database coupled to the input device is used for storing the checking account information and check amount. An electronic transaction processor electronically forwards the checking account information and check amount to an institution drawn on by the check, where they are electronically presented and posted to the checking account.

In another aspect of the invention, a method for automated checkless check transaction provides for receiving checking account information and a check amount of a check provided in a transaction, electronically transmitting the received checking account information and check amount to the institution drawn on, and electronically presenting and posting the checking account information and check amount to the checking account.

WO 97/36254 PCT/US97/05005

5

6

In yet another aspect of the invention, a method for automated checkless check processing provides for electronically receiving checking account information and a check amount of a check provided in a transaction, electronically presenting the checking account information and check amount, electronically posting to an checking account the check draws on.

10

7

BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the present invention, reference may be made to the accompanying drawings, in which:

FIGURE 1 is a simplified diagram of a typical back office check processing procedure;

FIGURE 2 is a simplified block diagram of a automated checkless check transaction system and method therefor constructed according to the teachings of the present invention;

FIGURE 3 is a representation of a check; and

FIGURE 4 is a flowchart of an automated checkless check transaction procedure according to the teachings of the present invention.

WO 97/36254 PCT/US97/05005

8

DETAILED DESCRIPTION OF THE INVENTION

5

10

15

20

25

30

The preferred embodiment(s) of the present invention is (are) illustrated in FIGURES 2-4, like reference numerals being used to refer to like and corresponding parts of the various drawings.

FIGURES 2 and 4 are a block diagram and a flowchart of automated checkless check transaction system and method therefor, respectively, and both are referenced in the description below. The instant system and method are applicable to bank teller transactions, point-of-sale transactions, as well as any other transactions in which a check is provided as payment or for deposit. Beginning at block 400 of FIGURE 4, an automated checkless check transaction according to the present invention begins by obtaining a check amount as written on the check, as shown in block 402. Check amount entry may be performed by the bank teller or cashier on a numerical keypad 202 (FIGURE 2) or any other suitable data entry device. The check is also passed through a MICR reader 200 to read the checking account information pre-printed on the check, as shown in block 404. FIGURE 3 shows a representation of a check 300, with the MICR line located on the bottom of the check. Numerals 304 are transit and routing information, numerals 306 are the checking account number, and numerals 308 are the check serial number. The check amount 302 is written in two fields on the face of the check. In bank teller transaction applications, the depositor's account number, as shown on the deposit slip, may also be read by MICR reader 200. Alternatively, the depositor's account number may be entered manually. A device 204 is further used to capture an image of the face of the check, including the account owner's signature, as shown in block 406. Device 204 may be a digital camera that captures the image of the check and transform it into digital bits of data.

10

15

20

25

30

9

The checking account information, check amount, and the check image are then transmitted electronically to a checkless transaction system 206. The depositor's account information is also transferred, if applicable. All the relevant transaction data may be stored in a database 207 coupled to checkless transaction system 206 for ready accessibility. At the time of presentment, all the relevant information associated with the check is in electronic or digital form, therefore the need for maintaining and handling the paper check becomes obsolete. The paper check may be truncated or marked in some way to indicate that it has been processed and returned to the customer. The customer may then do as he/she pleases with the check. He/she may keep it for a number of years or discard it.

The connection between MICR reader 200, check amount entry device 202, and image capturing device 204 to checkless transaction system 206 and database 207 may be via a dedicated or switched telecommunications line. Although shown as separate entities, MICR reader 200, check amount entry device 202, and image capturing device 204 may be implemented as an integrated input device. Checkless transaction system 206 is in electronic communications with the banking institution or a servicer contracted to perform the checkless transaction function 208. terminal 209 may be coupled to database 207 directly or indirectly through checkless transaction system 206. Checkless transaction system 206 and database 207 may be located on-site at bank/servicer 208 or may be located remotely therefrom. Indeed, the location of each piece of hardware or the execution site of any software need not be limited to any locale, as its location is inconsequential to the operations of the system and performance of the process.

WO 97/36254 PCT/US97/05005

5

10

15

20

25

30

10

Checkless transaction system 206, having received all transaction data, performs an relevant electronic settlement and electronic post, as shown in blocks 408 and 412. Presently, there are two known methods for electronic settlement and post. One is automated clearing house or ACH primarily used for payroll direct deposits. Automated clearing house is a series of electronic exchanges of value-based transactions. The other method is the debit card transaction where the account information is electronically forwarded to the banking institution owning the account for immediate posting to the account. Accordingly, checkless transaction system 206 converts the check transaction into an electronic ACH, debit card, or any other suitable transaction where the check amount is electronically presented to the institution drawn on or agent for collection and funding. Because they are well known, details associated with ACH or debit card transactions are not described herein.

In operation, the time-consuming and tedious steps of handling and encoding the checks at various stages of the check processing procedure are eliminated by the automated system and method of the present invention. Because the physical handling of the checks is avoided, significant cost reduction is realized for the savings in labor, machinery, and office space. Errors that may be introduced at this step are also avoided. Research of past check transactions, such as for transaction or legal analysis, may be performed through terminal 209 or any other terminal having access to database 207. A separate image database (not shown) may also implemented to maintain and store only the captured check images for research purposes. It is contemplated that, alternatively, check images may be kept on microfilm for research purposes.

10

15

20

30

In one aspect of the invention, an automated checkless check transaction system includes an input device receiving checking account information and a check amount of a check drawing on a checking account provided in a transaction. A database coupled to the input device is used for storing the checking account information and check amount. An electronic transaction processor electronically forwards the checking account information and the check amount to an institution drawn on by the check, where they are electronically presented and posted to the checking account. The input device of such system may comprise a MICR reader for reading MICR data line on a deposit slip being provided with the check, the deposit slip preferably having a depositor's account number preprinted thereon. The checking account information may include a routing and transit number and a checking account number. The checking account information may also include a check serial number. The automated checkless check transaction system may further comprise a on-line connection between the database and a servicer.

In another aspect of the invention, a method for automated checkless check transaction provides for receiving checking account information and a check amount of a check provided in a transaction, electronically transmitting the received checking account information and check amount to the institution drawn on, and electronically presenting and posting the checking account information and check amount to the checking account. The electronically

WO 97/36254 PCT/US97/05005

10 -

15

20

25

30

12

comprise transmitting step may the step transmitting the checking account information and the check amount via a telecommunications line. method may comprise the step of accessing information stored in the database on-line. The method for automated checkless check transaction comprise the steps of electronically transmitting the checking account information and the check amount to a database, and storing the checking account information and check amount in the database. A method for automated checkless check processing according to the present invention may further include the step of reading a pre-printed MICR line data on the check. It may also include the step of reading a pre-printed MICR depositor's account information on a deposit slip submitted with the check. The method may further comprise a step of electronically transmitting the checking account information and check amount via a telecommunications line to the institution or an agent thereof. Moreover, the method may include the step of capturing an image of the face of the check, including a signature inscribed thereon. The captured check image may be stored in a database. In fact, the captured check image may be electronically transferred to the database. The method may also include the step of accessing the captured check image as stored in the database for research purposes.

Although the present invention and its advantages have been described in detail, it should be understood that various changes, substitutions and alterations can be made therein without departing from the spirit

and scope of the invention as defined by the appended

PCT/US97/05005

WHAT IS CLAIMED IS:

- An automated checkless check transaction system, comprising:
- an input device receiving checking account information and a check amount of a check drawing on a checking account provided in the transaction;
- a database coupled to said input device for electronically receiving and storing said checking account information and check amount; and
- an electronic transaction processor for electronically forwarding said checking account information and check amount to an institution drawn on by said check and electronically presenting and posting said check amount to said checking account.

15

30

- 2. The system, as set forth in claim 1, wherein said input device comprises a MICR reader for reading MICR data line on said check.
- 3. The system, as set forth in claim 1, wherein said input device comprises at least a numerical keypad for entering said check amount.
- 4. The system, as set forth in claim 1, further comprising an image capturer for capturing an image of said check.
 - 5. The system, as set forth in claim 4, wherein said image capturer digitizes said captured check image.

- 6. The system, as set forth in claim 1, wherein said input device is coupled to said database via a telecommunications line.
- 7. The system, as set forth in claim 1, wherein said input device is coupled to said electronic transaction processor via a telecommunications line.
- 8. The system, as set forth in claim 1, further 10 comprising an on-line connection between said institution and said database.
 - 9. The system, as set forth in claim 1, wherein said electronic transaction processor comprises an automated clearing house transaction processor.
 - 10. The system, as set forth in claim 1, wherein said electronic transaction processor comprises an automated debit card transaction processor.

25

15

11. A method for automated checkless check transaction, comprising the steps of:

receiving checking account information and a check amount of a check provided in a transaction, said check drawing on a checking account provided by an institution;

electronically transmitting said received checking account information and check amount to said institution; and

WO 97/36254 PCT/US97/05005

16

electronically presenting said checking account information and check amount to said institution and electronically posting to said checking account.

5 12. A method for automated checkless check processing, comprising the steps of:

electronically receiving checking account information and a check amount of a check provided in a transaction; and

electronically presenting said checking account information and check amount; and

electronically posting to a checking account said check draws on.

15 13. A method for automated checkless check processing, comprising the steps of:

electronically presenting received checking account information and check amount of a check provided in a transaction; and


- 20 electronically posting to a checking account said check draws on.
- 14. The method, as set forth in claims 11, 12 or 13, further comprising the step of electronically entering said check amount.
 - 15. The method, as set forth in claims 11, 12 or 13, wherein said checking account information receiving step comprises the steps of machine-reading a routing and transit number and a checking account number pre-printed on said check.


15


- 16. The method, as set forth in claims 11, 12 or 13, wherein said checking account information receiving step comprises the steps of machine-reading a check serial number pre-printed on said check.
- 17. The method, as set forth in claims 11, 12 or 13, further comprising the step of capturing an image of a face of said check, including a signature inscribed thereon.
 - 18. The method, as set forth in claim 17. further comprising the steps of:
 - electronically transmitting said check image to an image database; and

storing said check image in said image database.


- 19. The method, as set forth in claims 11, 12 or 13, further comprising the step of converting said transaction to an automated clearing house transaction for electronic presentment and posting.
- 20. The method, as set forth in claims 11, 12 or 13, further comprising the step of converting said transaction to a debit card transaction for electronic presentment and posting.














INTERNATIONAL SEARCH REPORT

Inter. June Application No. PCT/US 97/05005

		} ' '	1/03 91/03003
A CLASS	IFICATION OF SUBJECT MATTER G06F17/60		
According (o International Patent Classification (IPC) or to both national cla	sofication and IPC	
	SEARCHED		
IPC 6	so-currentation searched (classification system followed by classific GOBF	cabon symbols)	
Documenta	ibon searched other than minimum documentation to the extent th	at such documents are included	sh the fields searched
Electronic 6	data base committed during the international search (name of data t	base and, where practical, search	h serms used)
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT		
Caugory *	Citation of document, with indication, where appropriate, of the	e relevant passages	Relevant to claum No.
X	WO 93 02424 A (J D CARREKER AND IN) 4 February 1993 see page 1, line 6 - page 5, li		1-19
	claims	ne 14,	
X	PROCEEDINGS OF THE MEDITERANNEA ELECTROTECHNICAL CONFERENCE, LJ MAY 22 - 24, 1991, vol. 2, 22 May 1991, ZAJC 8;SOL pages 1264-1267, XP000289642 FRANCA V ET AL: "A STATION FOR PROCESSING AND STORING OF DOCUM	UBLJANA, INA F, CAPTURE,	1-19
x	see the whole document WO 92 10901 A (VERIFONE INC) 25		1-3,
	see abstract; claims	-/	6-17,19
Y Feet	ther documents are listed in the continuation of box C.	X Patent family more	abors are listed in wheek.
'A" docum consid 'E" earlier filting 'L' docum which could c	ent which may throw double on priority claim(s) or is cled to establish the publication date of another in or other special reason (as specified)	"T later document publish or priority date and el cited to understand the invention "X" document of particular cannot be considered involve an inventive at "Y" document of particular cannot be a "Y" document of particular	ned after the international filting date or in conflict with the application but e principle or theory underlying the r relevance; the claimed invention novel or cannot be committeed to top when the document is taken alone r relevance; the claimed invention to involve an inventive step when the
"P" docum Later ti	ent published prior to the international filing date but han the priority date claimed	document is combined	d with one or more other such docu- tion being obvious to a person stulled
	4 July 1997	Date of mailing of the 2 2, 07	ntermetional search report
Name and r	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rignerik Tel. (+ 31-70) 340-2040, Tz. 31 651 epo nl.	Authorized officer Fournier	ſ

INTERNATIONAL SEARCH REPORT International Application No PCT/US 97/05005

C 10-1	DOCUMENT CONCENTRO TO BE DELLEVIOR	PC1/US 97/05005
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	IEEE TRANSACTIONS ON SYSTEMS, MAN AND CYBERNETICS, vol. 23, no. 3, 1 May 1993, pages 917-927, XP000412108 GHOSH S: "NOVADIB: A NOVEL ARCHITECTURE FOR ASYNCHRONOUS, DISTRIBUTED, REAL- TIME BANKING MODELED ON LOOSELY COUPLED PARALLEL PROCESSORS" see page 917, right-hand column, line 1 - page 918, left-hand column, line 21 see page 919, right-hand column, line 25 - line 56	1-3, 6-17,19

INTERNATIONAL SEARCH REPORT

Information on patent family members

PCT/US 97/05005

Patent document cited in search report	Publication date	Patent family member(s)	Publication date	
WO 9302424 A	04-02-93	US 5237159 A CA 2113553 A US 5412190 A US 5532464 A	17-08-93 04-02-93 02-05-95 02-07-96	
WO 9210901 A	25-06-92	US 5175682 A AU 9162491 A	29-12-92 08-07-92	

Form PCT/ISA/210 (potent famely annes) (July 1992)